

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84272	"370"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04
L2	3165	"370"/\$ and ((no or without) near2 buffer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:05
L3	124	"370"/\$ and (((no or without) near2 buffer\$4) same (data with header\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:05
L4	39	"370"/\$ and (((no or without) near2 buffer\$4) same (data with header\$2)) and ATM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:06
S1	104	((discard\$4 or remov\$3 or trash\$4) with (empty or corrupt\$4 or invalid\$4) with (packet\$2 or cell\$2)) same (assembl\$4 or combin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:56
S2	11	((((discard\$4 or remov\$3 or trash\$4) with (empty or corrupt\$4 or invalid\$4) with (packet\$2 or cell\$2)) same (assembl\$4 or combin\$5)) and g06f\$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:53
S3	39	((discard\$4 or remov\$3 or trash\$4) with (empty or corrupt\$4 or invalid\$4) with (packet\$2 or cell\$2) with (detect\$4 or check\$4)) and g06f\$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:28
S4	377	ATM with empty with cell\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 18:28
S5	42	(ATM and empty and cell\$2).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:56

S6	1358	((discard\$4 or remov\$3 or trash\$4) with (empty or corrupt\$4 or invalid\$4) with (packet\$2 or cell\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S7	585	((discard\$4 or remov\$3 or trash\$4) near4 (empty or corrupt\$4 or invalid\$4) near4 (packet\$2 or cell\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 10:57
S8	3	((discard\$4 or remov\$3 or trash\$4) near4 (empty or corrupt\$4 or invalid\$4) near4 (packet\$2 or cell\$2)) same ((combin\$6 or assembl\$5) with (frame\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:01
S9	23	((discard\$4 or remov\$3 or trash\$4) and (empty or corrupt\$4 or invalid\$4) and (packet\$2 or cell\$2))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 13:41
S10	0	((discard\$4 or remov\$3 or trash\$4) and (empty or corrupt\$4 or invalid\$4) and (packet\$2 or cell\$2)) and ((combin\$6 or assembl\$5) and (frame\$2))).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 11:01
S11	22809	"710"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:03
S12	109991	(ATM or (asynchronous adj transfer adj mode\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:03
S13	1636	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:04
S14	64596	(cell\$2 or packet\$2) near2 (combin\$6 or assembl\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 16:03
S15	166	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:04

S16	682	((cell\$2 or packet\$2) near2 (combin\$6 or assembl\$6)) same (corrupt\$5 or empty or invalid\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:44
S17	6	S16 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:43
S18	41939	user adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:43
S19	1701	((cell\$2 or packet\$2) with (combin\$6 or assembl\$6)) same (corrupt\$5 or empty or invalid\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:46
S20	243	S12 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:44
S21	32574	((cell\$2 or packet\$2) with (empty or pad\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:48
S22	994	S12 same S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S23	46463	S22 an d7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S24	40	S22 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:47
S25	154	((cell\$2 or packet\$2) with (empty or pad\$4)) same ((datagram\$2 or frame\$2) with (combin\$6 or assembl\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:49

S26	10	((cell\$2 or packet\$2) with (empty or pad\$4)) same ((datagram\$2 or frame\$2) with (combin\$6 or assembl\$5))) and g06f\$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 15:49
S27	65166	(cell\$2 or packet\$2) near2 (combin\$6 or assembl\$6 or concatenat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:03
S28	5556	((cell\$2 or packet\$2) near2 (combin\$6 or assembl\$6 or concatenat\$5)) and "370"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:05
S29	41939	user adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:04
S30	37	((user\$2 adj data) with (combin\$6 or assembl\$6 or concatenat\$5) with (stream\$4)) and "370"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/28 17:07
S31	45	((remov\$5 or discard\$4 or trash\$4) with (empty adj cell\$2)) and "370"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04